CONTENTS

Introduction	2			
Purpose	2			
1. KPD Matrix	2			
1.1 View the Matrix	3			
All Matches	3			
Match Ready Only	3			
1.2 KPD Matrix and Key	4			
1.3 Matchable Pair Compatibility Assessments	5			
1.4 Recipient Match Probability	7			
1.5 Look at a Match Event	8			
1.6 About KPD Match Events	9			
1.7 BLOCK AN AMP (ELIGIBLE RECIPIENT/DONOR PAIR)	10			
1.8 Exporting the Matrix	11			
2. Combinations and Chains	12			
2.1 Chains	12			
2.2 Open Chains	12			
2.3 Closed Chains	13			
2.4 Combinations	13			
2.5 Ranking Combinations	13			
2.6 Create New Combinations and Chains	14			
2.7 Look at Combinations and Chains	18			
Combination	18			
2.8 LOCK AND UNLOCK A CHAIN	21			
3. KPD Match Run History	23			
3.1 Extending a Chain	27			
3.2 Removing Pairs From a Chain	30			
3.3 Reversing a Chain	32			
3.4 Archive a Chain	33			
Appendix 1 – ABO Compatibility Table	34			
Appendix 2 – ABOi Acceptability Table	37			
Definitions				
Referenced Internal Documents				
Change History	42			
Electronic Signature	43			

INTRODUCTION

Patients and donors must be enrolled in OrganMatch in the Organ program, Kidney and Kidney Paired donation (KPD) pathway to be matched.

OrganMatch enrolments may be created from the Laboratory portal or the Transplantation Portal via the registration process. Using the transplantation portal, additional clinical information can be entered so this is the preferred option. Recipients and donors must be enrolled in the Kidney Program – KPD pathway to be included for KPD matching.

Refer to Kidney Paired Donation Enrolment- Transplantation Portal, OM-027 for further information.


KPD matching occurs in the OrganMatch Laboratory Portal.

PURPOSE

This document describes the process of KPD matching in OrganMatch.

KPD Program on the navigation pane contains three sections:

- KPD Matrix
- Combinations & Chains
- KPD Match Run History



1. KPD MATRIX

The KPD matrix displays recipients and donors enrolled in the KPD transplant pathway. The donors are listed down the page and recipients along the top of the page. Compatibility assessments yes (Y), or no (X) based on the criteria described in **Error! Bookmark not defined.**.3.

The matrix is live and reflects any changes that affect the compatibility of a matched pair immediately. It includes every person who is enrolled in KPD regardless of their readiness, hold or availability status.

OM-061 VERSION: 4 EFFECTIVE DATE: 17/09/2024

The user can click on the cell at the intersection (with the exception of a registered pair) of any pair, and access a match event to add notes, review assessment, block pair from future matching etc.

1.1 VIEW THE MATRIX

From the navigation pane, click KPD Program, and then click KPD Matrix.

The KPD matrix will load with the current data.

ALL MATCHES


Once a patient and donor is registered on the Kidney -KPD program, the patient and donor will appear in the KPD Matrix. This view will display all patients and donors, irrespective of status or readiness.




MATCH READY ONLY

The Enrolment status should be active for both the patient and donor, when the patient is ready to be matched. When the Readiness criteria is met and the patient and donor are active, the pair are "Match ready".

To view the matrix with only match ready recipients and donors, click the **Match Ready** button.




1.2 KPD MATRIX AND KEY



The KPD matrix is colour-coded to assist with viewing possible matches.

	KPD Matrix Key
Υ	The match is compatible
Х	The match is incompatible
В	The eligible recipient/donor pair is blocked
-	This is a Registered Pair
Blank	The status of the Matched Pair cannot be calculated as one (or both) of the match pair is not ready
Red Patient and donor names	The Name in red indicates that the person's co-registered donor or recipient has 0 matches
Find a patient in matrix	Press Ctrl F and enter name. Name will be highlighted in matrix

Hover over the matrix to display more information on the patient and donor



1.3 MATCHABLE PAIR COMPATIBILITY ASSESSMENTS

Each eligible recipient/donor pair is assigned a compatibility of yes (Y), or no (X) based on an assessment of the:

- donor and recipient's blood group compatibility (see Appendix 1 ABO compatibility table)
- donor's HLA typing profile and the recipient's unacceptable antigen list
- donor's extended acceptance criteria, and which criteria the recipient is willing to accept

Donor and recipient's HLA typing is required, however does not impact the compatibility assessment in the matrix.

The following table shows the steps OrganMatch runs through to determine the compatibility of each eligible recipient/donor pair. The result of the compatibility assessment displays in the KPD matrix.



Table 1: Compatibility Steps


Step	KPD Eligible Recipient/Donor Pair Compatibility Assessment Steps		
1	ABO Blood group	 Compare donor and recipient ABO: If okay, then proceed to next check. If NOT, check ABOi rules. Is the recipient willing to accept ABOi? Is the ABO compatible as per the ABOi rules? If the above conditions are not met, update assessment as Not Compatible in the KPD matrix. 	
2	Donor HLA and recipient UA	 Compare donor HLA and recipient UA: If no UA matches found, then proceed to the next check. If an UA match is found, then update assessment to Not Compatible. 	
3	Compare the donor extended acceptance criteria with acceptance criteria selected by the recipient	Ompare the donor extended acceptance criteria: If the donor has extended acceptance criteria that the recipient won't accept, update the assessment as Not Compatible.	

1.4 RECIPIENT MATCH PROBABILITY

To view the recipient match probability score for each donor, click the Match Ready button.



The **Recipient Match Probability** displays below the **Recipient Matches** row.




The Recipient Match Probability is calculated as follows: Recipient match probability (RMP) = a / b, where,

- a = the number of donors in the pool who are ready, and not on hold, and who have a match event compatibility of 'Y' for the given recipient
- b = total number of donors in the pool who are ready, and not on hold


Example:

There are 13 donors and 12 recipients in the KPD pool who are ready, and not 'on hold'. The first recipient has 3 match events shown with a match event status of Y, so $\mathbf{a} = 3$, $\mathbf{b} = 13$ $\mathbf{a/b} = 3/13 = 0.23$


1.5 LOOK AT A MATCH EVENT



1. The KPD matrix is displayed



1. Click a cell at the intersection of a donor and recipient to view the match event for the eligible recipient/donor pair. Right click and open match event in a new tab to avoid the matrix requiring reloading when you return to it.





1.6 ABOUT KPD MATCH EVENTS


OrganMatch will automatically create a new match event when:

- A person (donor or recipient) is enrolled in the Kidney KPD pathway.
- The match profile of a person (donor or recipient) enrolled in the Kidney KPD pathway is updated


If a match event already exists then a new version of the match event is created. A match event is created for every eligible recipient/donor pair. The match history of a patient can be found in the Match History section for recipient and donor

1. From the **Person details** pane, click the **Match history** section.

2. Filter the list of matched people by selecting values in the filter options fields.



3. Click the list item to view the match event of the matched person.



1.7 BLOCK AN AMP (ELIGIBLE RECIPIENT/DONOR PAIR)

Match Pairs can be blocked if required for the following reasons:

- The age difference is not acceptable.
- Location of patient and donor is logistically problematic.
- The improvement in matching is not sufficiently better than their own donor, in the case of compatible pairs.
- The match has been previously rejected by the transplant unit due to anatomical / clinical reasons.

OM-061 VERSION: 4 EFFECTIVE DATE: 17/09/2024

It is possible to block an AMP (eligible recipient/donor pair).

From the Match event pane, click the Match event outcomes section.

See 1.5 Look at a Match Event.

1. Click Edit.



2. Click **Yes** to block the pair, or **No** to unblock a blocked pair.



You need to add a reason for blocking a pair. This is mandatory if you click Yes.

3. Click **Save** or **Cancel** to cancel the action.



1.8 EXPORTING THE MATRIX


1. Select KPD Matrix and in the right-hand corner export matrix is visible.



OM-061 VERSION: 4 EFFECTIVE DATE: 17/09/202

2. Click on Export Matrix.

3. An excel file of the Matrix will be created. This is visible in the downloads on the menu bar. The file can be opened or downloaded from your download documents.



2. COMBINATIONS AND CHAINS

2.1 CHAINS

When an RP is ready and active, they will be matched by OrganMatch to find compatible pairs (see 1.3 Matchable Pair Compatibility Assessments). If each person in the RP is either giving to (donor) or receiving from (recipient) other RPs to form MPs, a chain of MPs is formed by OrganMatch.

2.2 OPEN CHAINS

A chain can be 'open' which means that it begins with a Living Non Directed Donor (LNDD) giving to a recipient. A LNDD is a donor that is registered without a registered patient. When a chain is open, it means that the final chain will result in one donor who cannot give to any KPD recipient. We call this the "End of chain Donor". Open chains always begin with an LNDD and end with the "End of chain donor".

The end of chain donor will be manually enrolled in the TWL pathway and the kidney will be allocated using the TWL matching process where the donor state is seen as the state of the original LNDD, not the state of the end of chain donor.

Open chains can be very long and could have hundreds of pairs potentially. Normally though the number of pairs is limited to a number less than seven. Only one LNDD should be used in a chain.

OM-061 VERSION: 4

An open chain will always have:

- No duplications of either a donor or recipient in the chain,
- Only one RP donor per recipient in the chain (recipients can have multiple registered donors, however only one donor can be used in a chain)
- Only one LNDD in the chain for open chains.

2.3 CLOSED CHAINS

Chains can also be closed. A closed chain means that there is no LNDD, and within the group of people included, each KPD recipient and (one of) their registered donors is included.

Generally closed chains are much shorter that open chains. A closed chain will always have:

- No duplications of either a donor or recipient in the chain,
- Only one RP donor per recipient in the chain (recipients can have multiple registered donors, however only one donor can be used in a chain),
- For every donor in the chain, a matched recipient from within the chain MPs.

2.4 COMBINATIONS

A combination is a group of unique chains. You can create combinations in OrganMatch. When this happens, OrganMatch generates a combination for you based on criteria you set and the people currently in the KPD matrix. It will include:

- All recipients who have a match compatibility of Yes and who are Active.
- All linked donors to those recipients (there can be multiple donors per recipient) who are ready and active.

2.5 RANKING COMBINATIONS

OrganMatch will rank the combinations using the following rules:

Combination Ranking			
Number of recipients in the combination	Highest number of recipients first		
Average match probability of recipients	Lowest match probability first		
Number of matched DRB1	Highest number of matches first		
Number of matched DRB1	Highest number of matches fir		

Combination Ranking			
Number of identical blood groups	Highest number with identical blood groups first		
Maximum chain length	Lowest chain length first		
Average waiting time of recipients in the combination	Longest waiting time first		


2.6 CREATE NEW COMBINATIONS AND CHAINS

New combinations for people registered in the KPD pathway can be created at any time unless there is an existing published combination.


- When you generate new combinations, the previously generated combinations will be discarded.
- However, you have the options of:
 - > locking chains within a combination to ensure these are not lost, and
 - > you can opt to retain the chain numbers from previously generated combinations, if the same chain is produced in the new set of combinations.
- A match event is created for each time a recipient/donor pair is considered. The match events are saved and can be looked at in a person's match run history, even if a new set of combinations is created.
- Due to the number of chains and combinations that can be created, the system supports a maximum of 200 x 200 donor recipient pairs, 3 LNND's per run, and a maximum chain length of 7 open chains.
- Capping of created chains will be capped at 1 million.

EFFECTIVE DATE: 17/09/2024

1. From the navigation pane, click **KPD Program**, and then click **Combinations and Chains**.



2. Click the **Create New Combinations** button in the **Combinations** section.



3. Select the runtime parameters.




You can set:

Retain locked chains – whether or not previously locked chains needed to be included in the new combinations. If this is set to **Yes**, the locked chains will be included in every combination. This must be set if required. If not set to **No**


Maximum chain length – the maximum chain length for open and closed chains. These parameters must be set. Closed chains don't have a Living Non-directed Donors (LNDD), whereas open chains do have a LNDD.

Retain Chain numbers – when combinations are regenerated, if a chain is produced which was also produced when the user created the previous set of combinations, it should be shown with the same chain number as it did in the previous run.

4. Click OK or Cancel.




OrganMatch displays progress as it regenerates the sets of combinations.



5. The latest set of combinations is displayed. The parameters you selected in step 3 are displayed, along with the time and date the set of combinations was generated.



6. To produce a report of then combination details, click the specific combination from the list, and then click **View Combination details report**.



Note: If there are no locked chains, only single chains will be generated in the first pass at running Chains and Combinations. If a chain has been locked from this first run then subsequent runs will produce combinations of 2 or more chains which include that locked chain.

Since the introduction of continuous matching the normal process is to identify any matches for Highly sensitised recipients on the matrix, then search for that match event via the "Find AMP" function in a chain from the chains produced in the Generating New Combinations run, select the best possible chain that includes that match event and save that chain to KPD Match Run History. The pairs involved in the saved chain would be on hold due to KPD chain in both the KPD enrolment and a TWL enrolment if that exists. The process is then repeated until no more possible chains can be identified and saved.

Once a chain is saved the process needs to be repeated to regenerate a new batch of possible chains from the remaining active pairs in the matrix.


OM-061 VERSION: 4

2.7 LOOK AT COMBINATIONS AND CHAINS


Once the combinations have been generated you can look at these along with the chains that they are formed from

COMBINATION


1. From the navigation pane, click **KPD Program**, and then click **Combinations and Chains**.



2. You will see the **Combination run parameters** that were used to create the latest combinations in the top section.



Look at the View All Combinations report and the View List of Participants report by clicking on the links.




4. Click **View Matrix** to view a snapshot of the KPD matrix taken when the combinations were formed by. Note that this is a read-only snapshot and may not accurately reflect the current situation.



Click the browser back button to return to the **Combinations & Chains** screen.

5. To look at which chains make up a combination, click a combination in the list.


6. Click a combination to look at the chains it was formed from.




7. Click **View Combination details report** to see the information in report form.



8. Below the combinations details, you can see the chains of AMPs.



9. Click an AMP row to open the match event for the pair.




10. Click the browser back button to return to the Combination details box.


2.8 LOCK AND UNLOCK A CHAIN

When any chain of people is locked, if you generate a new combination you have the option to either retain and use the locked chains or to discard them and start again. If you elect to retain locked chains, then every combination generated must use all locked chains.


1. From the navigation pane, click **KPD Program**, and then click **Combinations & Chains**. Click a combination to view the chains it is formed from.




2. Click Lock Chain to lock the chain.



3. Click OK.



4. Click Save, add Run Name and click Save.



This action publishes the chain and is now viewable in KPD Match Run History


Patient and Donor KPD enrolment status is changed to "On hold" with the reason "Due to KPD Chain" when chain is published

Unlocking a chain must occur, once the transplant surgeries and booked, and the transplants need to be linked via the match event outcome.

3. KPD MATCH RUN HISTORY


You can look at details of previously published KPD match runs.

1. From the navigation pane, click **KPD Program**, and then click **KPD Match Run History**.




OM-061 VERSION: 4 EFFECTIVE DATE: 17/09/2024


2. The match run history page is shown:




3. Click on a row to look at the details of the run.




4. The MATCH PAIR section contains columns that are auto populated from the match event like the Proposed Theatre Date. The ANZKX Offer Status is displayed as Offered if the Offered Date is populated and Accepted if the Medical Acceptance Date is populated. If there is a note in the match event the Contains Note(s) column will have a tick and hovering over the tick will display the note. The XM Status and Final Ab Screen Status columns are editable.



5. Click **Edit** to change the run name, enter comments or update the **XM Status** or **Final Ab Screen Status** columns.





- 6. Click **Save** to save your changes, or **Cancel** to return to the **View KPD Run Details** box without saving changes to the **Run Name** or **Comments** field(s).
- 7. You can look at the View Published Combination report, View All Combinations report or the View List of Participants report by clicking on the links.



8. You can view a snapshot of the KPD matrix that was taken when the match run was published.



Note – this is a read only snapshot and may not accurately reflect the current situation.




OM-061 VERSION: 4 EFFECTIVE DATE: 17/09/2024

9. Click the browser back button to return to the **KPD Match Run History** screen.


3.1 EXTENDING A CHAIN

When an end of chain donor needs to be rematched against the current pool the system allows users to extend the chain. The donor needs their current KPD enrolment ended and a new LNDD enrolment created prior to extending the chain. Refer to *OM-022 Kidney Paired Donation Registration- Transplantation Portal* for further information on KPD registration and enrolment.


1. From the navigation pane, click KPD Program, and then click KPD Match Run History.




2. Click the chain you want to extend.




3. Click Extend chain






4. Select the new chain to combine with the existing chain. The **Find Person** or **Find AMP** search fields can be used to search for a specific recipient.




5. Click Extend Chain.




6. In the **Reason** box record the reason for extending the chain and click **Save**. The comment should note that the chain has been extended as this box is used for both extending and removing pairs.



7. The system then extends the chain and updates the combination details.






3.2 REMOVING PAIRS FROM A CHAIN

If a chain is broken but cannot be reversed due to some pairs already being transplanted, pairs can be removed from the chain. This can only be performed for current open chains.

1. From the navigation pane, click KPD Program, and then click KPD Match Run History.




2. Click the chain you want to remove pairs from.




3. Click Remove Participants.







4. A remove button displays next to the recipient's name, except for pairs that have been transplanted. Any pairs after the selected recipient will be removed from the chain. Click the button to select the pairs to remove.




5. A confirmation box displays the pairs that will be removed including their OM ID.



6. Add the reason why the pairs are being removed and click **Confirm**. This information is captured in the audit information and should include that the pairs have been removed.



7. The pairs are removed and the combination details are updated.



3.3 REVERSING A CHAIN

If chain is broken, and the pairs need to be returned to the pool for matching, Click Reverse Combination.

This automatically reverses the KPD enrolments to Active for all the recipients and donors in the chain. If the patient also has a TWL enrolment the status will be returned to its previous state.




3.4 ARCHIVE A CHAIN

A chain can be moved into the history tab in the KPD run history

1. Click Archive



2. You will be asked to confirm



3. Click Yes. The combination will be moved to history



4. To unarchive the Combination, Select **Unarchive**. The combination will return to the Current KPD match run history.



APPENDIX 1 – ABO COMPATIBILITY TABLE

Donor ABO	Donor Subtype	Recipient ABO	Recipient Subtype
Α	A1	А	A1
Α	A1	А	A2
Α	A1	А	A Intermediate
A	A1	А	A Not defined/tested
Α	A2	А	A1
Α	A2	А	A2
Α	A2	А	A Intermediate
A	A2	А	A Not defined/tested
Α	A Intermediate	А	A1
Α	A Intermediate	А	A2
Α	A Intermediate	А	A Intermediate
A	A Intermediate	А	A Not defined/tested
Α	A Not defined/tested	А	A1
A	A Not defined/tested	А	A2
А	A Not defined/tested	А	A Intermediate
A	A Not defined/tested	А	A Not defined/tested
Α	A1	AB	A1B
Α	A2	AB	A1B
Α	A Intermediate	AB	A1B
A	A Not defined/tested	АВ	A1B
Α	A1	AB	A2B
Α	A2	AB	A2B
Α	A Intermediate	AB	A2B

Donor ABO	Donor Subtype	Recipient ABO	Recipient Subtype
A	A Not defined/tested	АВ	A2B
Α	A1	AB	A Intermediate B
Α	A2	AB	A Intermediate B
Α	A Intermediate	AB	A Intermediate B
A	A Not defined/tested	АВ	A Intermediate B
Α	A1	AB	AB Not defined/tested
Α	A2	АВ	AB Not defined/tested
А	A Intermediate	AB	AB Not defined/tested
А	A Not defined/tested	АВ	AB Not defined/tested
АВ	A1B	AB	A1B
АВ	A1B	AB	A2B
АВ	A1B	AB	A Intermediate B
АВ	A1B	АВ	AB Not defined/tested
АВ	A2B	AB	A1B
AB	A2B	AB	A2B
AB	A2B	AB	A Intermediate B
АВ	A2B	AB	AB Not defined/tested
AB	A intermediate B	AB	A1B
АВ	A intermediate B	АВ	A2B
AB	A intermediate B	AB	A Intermediate B
AB	A intermediate B	AB	AB Not defined/tested
AB	AB Not defined/tested	АВ	A1B
AB	AB Not defined/tested	АВ	A2B
AB	AB Not defined/tested	АВ	A Intermediate B

Donor ABO	Donor Subtype	Recipient ABO	Recipient Subtype
AB	AB Not defined/tested	АВ	AB Not defined/tested
В	N/A	В	N/A
В	N/A	AB	A1B
В	N/A	AB	A2B
В	N/A	AB	A Intermediate B
В	N/A	AB	AB Not defined/tested
0	N/A	А	A1
0	N/A	А	A2
0	N/A	А	A Intermediate
0	N/A	А	A Not defined/tested
0	N/A	В	N/A
0	N/A	AB	A1B
0	N/A	АВ	A2B
0	N/A	АВ	A Intermediate B
0	N/A	AB	AB Not defined/tested
0	N/A	0	N/A

APPENDIX 2 – ABOI ACCEPTABILITY TABLE

Donor ABO	Donor Subtype	Recipient ABO	Recipient Subtype
Α	A1	А	A1
Α	A1	А	A2
Α	A1	А	A Intermediate
Α	A1	А	A Not defined/tested
Α	A2	A	A1
Α	A2	Α	A2
Α	A2	А	A Intermediate
Α	A2	А	A Not defined/tested
Α	A Intermediate	А	A1
Α	A Intermediate	А	A2
Α	A Intermediate	А	A Intermediate
Α	A Intermediate	А	A Not defined/tested
А	A Not defined/tested	А	A1
A	A Not defined/tested	А	A2
A	A Not defined/tested	А	A Intermediate
A	A Not defined/tested	А	A Not defined/tested
Α	A1	АВ	A1B
Α	A2	AB	A1B
Α	A Intermediate	AB	A1B
А	A Not defined/tested	AB	A1B
Α	A1	AB	A2B
Α	A2	AB	A2B
Α	A Intermediate	AB	A2B

Donor ABO	Donor Subtype	Recipient ABO	Recipient Subtype
A	A Not defined/tested	АВ	A2B
Α	A1	AB	A Intermediate B
Α	A2	АВ	A Intermediate B
Α	A Intermediate	AB	A Intermediate B
A	A Not defined/tested	АВ	A Intermediate B
Α	A1	AB	AB Not defined/tested
Α	A2	АВ	AB Not defined/tested
Α	A Intermediate	АВ	AB Not defined/tested
A	A Not defined/tested	АВ	AB Not defined/tested
AB	A1B	AB	A1B
АВ	A1B	АВ	A2B
АВ	A1B	АВ	A Intermediate B
АВ	A1B	AB	AB Not defined/tested
АВ	A2B	АВ	A1B
AB	A2B	АВ	A2B
АВ	A2B	AB	A Intermediate B
АВ	A2B	АВ	AB Not defined/tested
AB	A intermediate B	AB	A1B
AB	A intermediate B	AB	A2B
AB	A intermediate B	АВ	A Intermediate B
AB	A intermediate B	АВ	AB Not defined/tested
AB	AB Not defined/tested	АВ	A1B
AB	AB Not defined/tested	АВ	A2B
АВ	AB Not defined/tested	АВ	A Intermediate B

Donor ABO	Donor Subtype	Recipient ABO	Recipient Subtype
AB	AB Not defined/tested	АВ	AB Not defined/tested
В	N/A	В	N/A
В	N/A	AB	A1B
В	N/A	AB	A2B
В	N/A	AB	A Intermediate B
В	N/A	АВ	AB Not defined/tested
0	N/A	А	A1
0	N/A	А	A2
О	N/A	А	A Intermediate
О	N/A	А	A Not defined/tested
0	N/A	В	N/A
0	N/A	AB	A1B
0	N/A	AB	A2B
0	N/A	АВ	A Intermediate B
0	N/A	AB	AB Not defined/tested
О	N/A	0	N/A
Α	A1	В	N/A
Α	A2	В	N/A
Α	A Intermediate	В	N/A
A	A Not defined/tested	В	N/A
Α	A1	0	N/A
А	A2	0	N/A
А	A Intermediate	0	N/A
А	A Not defined/tested	0	N/A
В	N/A	А	A1
В	N/A	A	A2
В	N/A	А	A Intermediate

Donor ABO	Donor Subtype	Recipient ABO	Recipient Subtype
В	N/A	А	A Not defined/tested
В	N/A	0	N/A
AB	A1B	А	A1
AB	A1B	А	A2
AB	A1B	А	A Intermediate
AB	A1B	А	A Not defined/tested
AB	A2B	А	A1
AB	A2B	А	A2
AB	A2B	А	A Intermediate
AB	A2B	А	A Not defined/tested
AB	A Intermediate B	А	A1
АВ	A Intermediate B	А	A2
АВ	A Intermediate B	А	A Intermediate
AB	A Intermediate B	А	A Not defined/tested
АВ	AB Not defined/tested	А	A1
АВ	AB Not defined/tested	А	A2
AB	AB Not defined/tested	А	A Intermediate
AB	AB Not defined/tested	А	A Not defined/tested
AB	A1B	В	N/A
AB	A2B	В	N/A
AB	A Intermediate B	В	N/A
AB	AB Not defined/tested	В	N/A
АВ	A1B	0	N/A
AB	A2B	0	N/A
AB	A Intermediate B	0	N/A

Donor ABO	Donor Subtype	Recipient ABO	Recipient Subtype
АВ	AB Not defined/tested	0	N/A

VERSION: 4

FFECTIVE DATE: 17/09/2024 PAGE 41 OF 43

DEFINITIONS

Term/abbreviation	Definition
ARP (ASX Registered pair)	A recipient/donor pair who came into the KPD pathway together. They are not compatible (if they were they would be enrolled in the LDD pathway).
AMP (ASX Matched pair)	A recipient/donor pair who have been assessed as compatible by OrganMatch.
Readiness	Criteria that need to be met for a patient and donor to be matched

REFERENCED INTERNAL DOCUMENTS

Document number	Source	
OM-022	Kidney Paired Donation Registration- Transplantation Portal	
OM-027	Kidney Paired Donation Enrolment- Transplantation Portal	

CHANGE HISTORY

Version number	Effective date	Summary of change
1	05/05/2023	New document
2	28/05/2024	Update for OrganMatch Sprint 52:
		 Section 3 updated to include the new function for extending a chain.
		Referenced documents updated to include OM-022.
		Other:
		 Introduction and referenced documents updated for the name of OM-027.
		 Section 1.6 updated with new screenshots for updated match event labels.
		 Section 1.8 updated to include new download function in chrome.

3	23/07/2024	 Update for OrganMatch Sprint 53: Updated Section 3 to include new columns in table for Match Pair and editing function.
4	Refer to footer	 Update for OrganMatch Sprint 54: Section 3.2 added for removing pairs in a chain. Screenshots updated in section 3.1. Other: Table of contents added.

ELECTRONIC SIGNATURE

Author	NARELLE WATSON
Approver(s)	REEBCCA SCAMMELL